Date : 26/11/2015 Page 1/10 Revision : N°15 (30/06/2015)

TOTALSEAL 180 - TS180

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product identifier

Product name : TOTALSEAL 180 Product code : TS180.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# **1.3.** Details of the supplier of the safety data sheet

Registered company name : LE JOINT FRANCAIS. Address : SEALING SYSTEMS - LJF - 84 rue Salvador ALLENDE. 95870. BEZONS . FRANCE. Telephone : 33 (0)1 34 23 34 23. Fax : 33 (0)1 34 23 34 99. hse.ljf@hutchinson.fr http://www.ljfm.com **1.4. Emergency telephone number : .** 

Association/Organisation : CAPTV Tel. + 33 (0)1 40 05 48 48.

# SECTION 2 : HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Aquatic environmental hazard, chronic toxicity: harmful (R 52/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

## 2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Date : 26/11/2015 Page 2/10 Revision : N°15 (30/06/2015)

TOTALSEAL 180	- TS180

Additional labeling :	
EUH208	Contains 4,4'-METHYLENEDIPHENYL DIISOCYANATE. May produce an allergic reaction.
EUH204	Contains isocyanates. May produce an allergic reaction.
Hazard statements :	
H412	Harmful to aquatic life with long lasting effects.
Precautionary statemer	nts - Prevention :
P273	Avoid release to the environment.
Precautionary statemer	nts - Disposal :
P501	Dispose of contents/container according to the local rules

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

Composition : Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: NONE63			[1]	10 <= x % < 25
CAS: 1333-86-4				
EC: 215-609-9				
REACH: 01-2119384822-32-0032				
CARBON BLACK, AMORPHOUS				
INDEX: NONE70			[1]	2.5 <= x % < 10
CAS: 1317-65-3				
CARBONATE DE CALCIUM				
INDEX: NONE22	GHS08	Xn		2.5 <= x % < 10
CAS: 112-88-9	Dgr	Xn;R65		
EC: 204-012-9	Asp. Tox. 1, H304	R66		
REACH: 01-2119474213-44-0001	EUH:066			
LINEAR ALPHA OLEFIN				
INDEX: NONE523	GHS08	Xn		0 <= x % < 2.5
CAS: 93924-10-8	Dgr	Xn;R65		
EC: 300-202-1	Asp. Tox. 1, H304			
REACH: 01-2119485290-39-0000	_			
ALKENES, C20-24				

# Date : 26/11/2015 Page 3/10 Revision : N°15 (30/06/2015)

	1	1		
INDEX: 015-105-00-7	GHS07, GHS09	Xi,N		0 <= x % < 2.5
CAS: 101-02-0	Wng	Xi;R36/38		
EC: 202-908-4	Eye Irrit. 2, H319	N;R50/53		
REACH: 01-2119511213-58-XXXX	Skin Irrit. 2, H315			
	Aquatic Acute 1, H400			
TRIPHENYL PHOSPHITE	M Acute $= 1$			
	Aquatic Chronic 1, H410			
	M Chronic $= 1$			
INDEX: 615-005-00-9	GHS08, GHS07	Xn	С	0 <= x % < 2.5
CAS: 101-68-8	Dgr	Carc. Cat. 3;R40	[1]	
EC: 202-966-0	Carc. 2, H351	Xn;R42/43-R48/20-R20	[2]	
REACH: 01-2119457014-47	Acute Tox. 4, H332	Xi;R36/37/38		
	STOT RE 2, H373			
4,4'-METHYLENEDIPHENYL	Eye Irrit. 2, H319			
DIISOCYANATE	STOT SE 3, H335			
	Skin Irrit. 2, H315			
	Resp. Sens. 1, H334			
	Skin Sens. 1, H317			

TOTALSEAL 180 - TS180

## Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

# SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

### In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

#### In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing :

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Date : 26/11/2015 Page 4/10 Revision : N°15 (30/06/2015)

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

TOTALSEAL 180 - TS180

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

### SECTION 6 : ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2. Environmental precautions**

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Contaminated areas must be cleaned very quickly.

A possible decontaminant for flammable products may be : (expressed by volume) water (45 parts), ethanol or isopropanol (50 parts), concentrated ammonia (d-0.880) (5 parts). For non-flammable products: sodium carbonate (5 parts), water (95 parts).

This residue must be stored for disposal in compliance with current regulations (see section 13).

#### 6.4. Reference to other sections

No data available.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### **Fire prevention :**

Prevent access by unauthorised personnel.

#### **Recommended equipment and procedures :**

#### For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Date : 26/11/2015 Page 5/10 Revision : N°15 (30/06/2015)

# TOTALSEAL 180 - TS180

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

# SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Occupational exposure limits :**

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :	
1333-86-4	3.5 mg/m3	-	-	-	-	
101-68-8	0.005 ppm	-	-	-	-	
- Germany - AGW (BA	uA - TRGS 900,	21/06/2010) :				
CAS	VME :	VME :	Excess	Notes		
101-68-8	-	0,05 mg/m3	1;=2=(I)	DFG, 11, 12		
- France (INRS - ED984	4 :2008) :					
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
1333-86-4	-	3.5	-	-	-	-
1317-65-3	-	10	-	-	-	-
101-68-8	0.01	0.1	0.02	0.2	AR	62
- UK / WEL (Workplace	e exposure limits	, EH40/2005, 20	007):			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
1333-86-4	3.5 mg/m3	7 mg/m3	-	-	-	
101-68-8	0.02 mg/m3	0.07 mg/m3	-	-	-	

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Date : 26/11/2015 Page 6/10 Revision : N°15 (30/06/2015)

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Recommended properties :

TOTALSEAL 180 - TS180

- Impervious gloves in accordance with standard EN374
- Antistatic gloves in accordance with standard EN1149

#### - Body protection

Suitable type of protective clothing :

Wear antistatic clothing made from heat resistant natural or synthetic fibres in accordance with standard EN1149.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

General information :	
Physical state :	Paste.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	1.4
Water solubility :	Insoluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.
% VOC :	0
9.2. Other information	
VOC (g/l) :	0

# SECTION 10 : STABILITY AND REACTIVITY

#### 10.1. Reactivity

Keep away from oxidising agents and strongly acidic or basic materials to avoid exothermic reactions.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Date : 26/11/2015 Page 7/10 Revision : N°15 (30/06/2015)

## **10.3.** Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

TOTALSEAL 180 - TS180

The mixture can also release hydrogen cyanide, amines and alcohols.

#### 10.4. Conditions to avoid

#### **10.5. Incompatible materials**

#### **10.6.** Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11 : TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Based on isocyanate properties and considering the toxicological data of similar mixtures, this preparation may cause irritations and/or sensitisations of the respiratory system.

It may therefore bring about asthma, respiratory difficulties and angina pectoris.

Those susceptible may display asthmatic symptoms when exposed to atmospheres with an isocyanate concentration well below those of the VLE : exposure limits.

Repeated exposure may cause permanent respiratory problems.

#### 11.1.1. Substances

No toxicological data available for the substances.

### 11.1.2. Mixture

### Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction. Contains isocyanates. May cause an allergic reaction.

## **SECTION 12 : ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

### 12.1. Toxicity

### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

No data available.

# **12.3. Bioaccumulative potential**

### No data available.

## 12.4. Mobility in soil

Date : 26/11/2015 Page 8/10 Revision : N°15 (30/06/2015)

## No data available.

#### 12.5. Results of PBT and vPvB assessment

#### No data available.

12.6. Other adverse effects

No data available.

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

TOTALSEAL 180 - TS180

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

# **SECTION 15 : REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

### - Container information:

No data available.

Date : 26/11/2015 Page 9/10 Revision : N°15 (30/06/2015)

# TOTALSEAL 180 - TS180

#### - Particular provisions :

No data available.

### 15.2. Chemical safety assessment

No data available.

### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

	-	
Dielz	phrase	•
IV19V	pinase	

R 52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Contains isocyanates. See information supplied by the manufacturer.

#### Wording of the phrases mentioned in section 3 :

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
R 20	Harmful by inhalation.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 36/38	Irritating to eyes and skin.
R 40.C3	Limited evidence of a carcinogenic effect.
R 42/43	May cause sensitization by inhalation and skin contact.
R 48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Date : 26/11/2015 Page 10/10 Revision : N°15 (30/06/2015)

R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 65	Harmful: may cause lung damage if swallowed.
R 66	Repeated exposure may cause skin dryness or cracking.

TOTALSEAL 180 - TS180

# Abbreviations :

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).