

CS10 Anti-Silicone Additive

Date: 21-06-2017 Page: 1

SECTION 1: IDENTIFICATION OF PRODUCT AND COMPANY

1.1 Product Identifier

Product name: CS10 Anti-Silicone Additive

Product Code: FL2016/4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use: For professional use ONLY

1.3 Details of supplier of the safety data sheet

Details of company FLP Group

Unit 1 Clayfields Industrial Estate

Tickhill Road Doncaster DN4 80G

+44 (0) 1302 571571 sales@flpqroup.co.uk

1.4 Emergency telephone number

Emergency Tel: +44 (0) 1302 571571

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification under CLP: Flam. Liq. 3: H226; STOT SE 3: H336

2.2 Label elements

Hazard statements: H226 Flammable liquid and vapour

H336 May cause drowsiness or dizziness

EUH066 Repeated exposure may cause skin dryness or cracking

Signal words: Warning
Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark





Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking P261 Avoid breathing spray, vapours

P264 Wash hands thoroughly after handling

P280 Wear face protection, protective clothing, protective gloves

P312 Call a doctor if you feel unwell

P501 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or

international regulation.

2.3 Other hazards

Other hazards: No additional information available.

PBT: This substance is not identified as a PBT substance.

SECTION 3: COMPOSITON/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

| EINECS | CAS | CHIP Classification | CLP Classification | Percent | | |
|-----------------|-----|---------------------|--------------------|---------|--|--|
| n-butyl acetate | | | | | | |

www.flpgroup.co.uk



CS10 Anti-Silicone Additive

Date: 21-06-2017 Page: 2

| 204-658-1 | 123-86-4 | R10; R66; R67 | Flam. Liq. 3, H226 STOT SE | >= 83% |
|-----------|----------|---------------|----------------------------|--------|
| | | | 3, H336 | |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General First-aid measures: Never give anything by mouth to an unconscious person. If you feel

unwell, seek medical advice (show the label where possible).

Skin contact: Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Repeated exposure may cause skin dryness or

cracking.

Eye contact: Rinse immediately with plenty of water. Obtain medical attention if

pain, blinking or redness persist

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical

attention.

Inhalation: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or

doctor/physician if you feel unwell.

4.2 Most Important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture

Exposure hazards: Plammable liquid and vapour. May forms explosive air-vapour

mixture.

5.3 Advice for fire-fighters

Advice for fire-fighters: Use water spray or fog for cooling exposed containers. Exercise

caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Do not enter fire area without proper

protective equipment, including respiratory protection

SECTION 6: ACCIDENTAL REALESE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

General measures: Remove ignition sources. Use special care to avoid static electric

charges. No open flames. No smoking.

Protective equipment: Safety glasses. Protective clothing. Gloves.

Emergency procedures: Evacuate unnecessary personnel.

Protective equipment: Equip clean-up crew with proper protection. Avoid breathing spray,

vapours.

Emergency procedures: Ventilate area.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

Clean-up procedures: Soak up spills with inert solids, such as clay or diatomaceous earth

as soon as possible. Collect spillage. Store away from other

materials



CS10 Anti-Silicone Additive

Date: 21-06-2017 Page: 3

6.4 Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: HANDLING & STORAGE

7.1 Precautions for safe handling

Additional hazards when processed: Handle empty containers with care because residual vapours are

flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing spray, vapours. Use only outdoors or in a well-ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures: Proper grounding procedures to avoid static electricity should be

followed. Ground/bond container and receiving equipment. Use

explosion-proof electrical, lighting equipment.

Storage conditions: Keep only in the original container in a cool, well ventilated place

away from: Ignition sources, Heat sources, keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep container tightly closed.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Sources of ignition. Direct sunlight, Heat sources.

Storage temperature: <25 °C

Storage area:
Special rules on packaging:
Special rules on packaging:
Keep only in original container.

7.3 Specific end use(s)

Specific end use(s): No data available.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

N-butyl acetate (123-86-4)

United Kingdom Local name Butyl acetate
United Kingdom WEL TWA (mg/m³) 724 mg/m³
United Kingdom WEL TWA (ppm) 150 ppm
United Kingdom WEL STEL (mg/m³) 966 mg/m³
United Kingdom WEL STEL (ppm) 200 ppm

8.2 Exposure controls

Personal protective equipment: Avoid all unnecessary exposure.

Materials for protective clothing: Impermeable clothing Hand protection: Wear protective gloves

Eye protection: Chemical goggles or safety glasses
Skin and body protection: Wear suitable protective clothing

Respiratory protection: Where exposure through inhalation may occur from use, respiratory

protection equipment is recommended

Do not eat, drink or smoke during use.

Other information: Do not eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state: Liquid
Appearance: Liquid.
Colour: Colourless.
Odour: Sweet.

Odour threshold: No data available

CS10 Anti-Silicone Additive

Date: 21-06-2017 Page: 4

No data available pH: No data available Relative evaporation rate: Melting point: No data available Freezing point: No data available Boiling point: No data available 29°C

Flash point:

Auto-ignition temperature: No data available Decomposition temperature: No data available

Flammability (solid, gas): Flammable liquid and vapour

No data available Vapour pressure: Relative vapour density at 20 °C: No data available Relative density: No data available Density: 0.89 - 0.91

Solubility: insoluble in water. Soluble in most organic solvents.

Log Pow: No data available Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties: No data available Oxidising properties: No data available **Explosive limits:** No data available

9.2 Other information

VOC content: 786 q/l VOC content - Actual: 786 g/l VOC content - Regulatory: 786 g/l

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No additional information available

10.2 Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture

10.3 Possibilities of hazardous reactions

Not established.

10.4 Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating, Heat. Sparks.

10.5 Incompatible materials

Strong bases. Strong acids

10.6 Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases

SECTION 11: TOXICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity: Not classified Skin corrosion/irritation: Not classified

Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation: Not classified

Based on available data, the classification criteria are not met

Not classified Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met

Germ cell mutagenicity: Not classified

Based on available data, the classification criteria are not met

Carcinogenicity: Not classified



CS10 Anti-Silicone Additive

Date: 21-06-2017 Page: 5

Based on available data, the classification criteria are not met

Reproductive toxicity: Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (SE): May cause drowsiness or dizziness.

Specific target organ toxicity (RE): Not classified

Based on available data, the classification criteria are not met

Aspiration hazard: Not classified

Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms:Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

No additional information available

12.2 Persistence and degradability

Not established

12.3 Bio accumulative potential

Not established

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available

12.6 Other adverse effects

Avoid release to the environment

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Regional legislation (waste): Disposal must be done according to official regulations.

Waste disposal recommendations: Dispose in a safe manner in accordance with local/national

regulations. Dispose of contents/container to remove waste in

ac<mark>cordance with local and/or national regulations.</mark>

Additional information: Handle empty containers with care because residual vapours are

flammable.

Ecology - waste materials: Avoid release to the environment.

SECTION 14: TRANSPORTATION INFORMATION

14.1 UN number

UN number: UN1263

14.2 UN proper shipping name

Shipping name: PAINT RELATED MATERIAL

14.3 Transport hazard class

Transport class: 3

14.4 Packaging group

Packing group: III

14.5 Environmental hazards

Environmentally hazardous: No Marine pollutant: No



CS10 Anti-Silicone Additive

Date: 21-06-2017 Page: 6

14.6 Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E Transport category: 3

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Contains no substances with Annex XVII restrictions. Anti-silicone additive is not on the REACH Candidate List. Contains no substance on the REACH candidate list. Contains no REACH Annex XIV substances

VOC content: 786 g/

Seveso Information: This product is subject to the Seveso Directive

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Other information: This safety data sheet is prepared in accordance with Commission

Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last

revision.

Phrases used in s.2 and 3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not

purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from

handling or from contact with the above product.