Printing date 29.03.2015 Revision: 28.03.2015

### I Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Kapci 602
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture 1263
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kapci Coatings

Industrial Zone El - Raswa

Port Said

**EGYPT** 

mohamed.rashad@kapci.com

- · Further information obtainable from: Product safety department
- · Emergency telephone number: During normal opening times: +20 66 3770000

#### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Carc. 1B H350 May cause cancer.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R45-46: May cause cancer. May cause heritable genetic damage.



Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.

R10-67: Flammable. Vapours may cause drowsiness and dizziness.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.03.2015 Revision: 28.03.2015

Trade name: Kapci 602

#### · Hazard pictograms







GHS02 GHS07

· Signal word Danger

#### · Hazard-determining components of labelling:

Solvent naphtha (petroleum), light arom.

n-butyl acetate

#### · Hazard statements

H226 Flammable liquid and vapour.

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Read label before use. P103

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P241 *Use explosion-proof electrical/ventilating/lighting/equipment.* P301+P310 *IF SWALLOWED: Immediately call a POISON CENTER/doctor.* 

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

Store locked up. P405

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: |   |        |  |
|-------------------------|---|--------|--|
|                         | Solvent naphtha (petroleum), light arom.                  | 25-50% |  |
|                         | 😡 T Carc. Cat. 2, Muta. Cat. 2 R45-46; 🗙 Xn R65           |        |  |
|                         | 🚸 Flam. Liq. 3, H226; 🚸 Carc. 1B, H350; Asp. Tox. 1, H304 |        |  |
| CAS: 123-86-4           | n-butyl acetate   | 10-25% |  |
| EINECS: 204-658-1       | R10-66-67   |        |  |
|                         | 🚸 Flam. Liq. 3, H226; 仆 STOT SE 3, H336                   |        |  |
| CAS: 84540-57-8         | methoxypropyl acetate                                     | 10-25% |  |
| EINECS: 283-152-2       | R10   |        |  |

· Additional information: For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 29.03.2015 Revision: 28.03.2015

Trade name: Kapci 602

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- $\cdot$  *Specific end use*(s) *No further relevant information available.*

# 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 29.03.2015 Revision: 28.03.2015

Trade name: Kapci 602

(Contd. of page 3)

#### · Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

**Colour:** According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 5)

Printing date 29.03.2015 Revision: 28.03.2015

Trade name: Kapci 602

|                                       | (Contd. of page  |
|---------------------------------------|--|
| Boiling point/Boiling range:          | 124 °C   |
| · Flash point:                        | 27 °C  |
| · Flammability (solid, gaseous):      | Not applicable.  |
| · Ignition temperature:               | 333 °C   |
| · Decomposition temperature:          | Not determined.  |
| · Self-igniting:                      | Product is not selfigniting.   |
| · Danger of explosion:                | Product is not explosive. However, formation of explosive air/vapomixtures are possible. |
| · Explosion limits:                   |  |
| Lower:                                | 0.7 Vol %  |
| Upper:                                | 7.5 Vol %  |
| · Vapour pressure at 20 °C:           | 10.7 hPa   |
| · Density at 20 °C:                   | $0.8975 \ g/cm^3$  |
| · Relative density                    | Not determined.  |
| · Vapour density                      | Not determined.  |
| · Evaporation rate                    | Not determined.  |
| · Solubility in / Miscibility with    |  |
| water:                                | Not miscible or difficult to mix.  |
| · Partition coefficient (n-octanol/wa | ter): Not determined.  |
| · Viscosity:                          |  |
| Dynamic:                              | Not determined.  |
| Kinematic:                            | Not determined.  |
| · Solvent content:                    |  |
| Organic solvents:                     | 75.0 %   |
| VOC (EC)                              | 75.00 %  |
| · Other information                   | No further relevant information available.   |

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

· Information on toxicological effects

Inhalative |LC50/4|h| > 10.2 mg/l (rat)

· Acute toxicity:

| · LD/LC50 values relevant for classification: |   |                   |  |  |
|---|---|-------------------|--|--|
| 64742-95-                                     | 64742-95-6 Solvent naphtha (petroleum), light arom. |                   |  |  |
| Oral  | LD50  | >6800 mg/kg (rat) |  |  |
| Dermal  | LD50  | >3400 mg/kg (rab) |  |  |

- Primary irritant effect:
- · on the skin: No irritant effect.

(Contd. on page 6)

Printing date 29.03.2015 Revision: 28.03.2015

Trade name: Kapci 602

(Contd. of page 5)

- · on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Carcinogenic.

The product can cause inheritable damage.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 1B

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

| · l | JN- | Nu | mb | er |
|-----|-----|----|----|----|
|-----|-----|----|----|----|

· ADR, IMDG, IATA UN1263

· UN proper shipping name

· ADR 1263 PAINT
· IMDG, IATA PAINT

- · Transport hazard class(es)
- · ADR, IMDG, IATA



· Class 3 Flammable liquids.

· Label

(Contd. on page 7)

Printing date 29.03.2015 Revision: 28.03.2015

Trade name: Kapci 602

|                                      | (Contd. of page                                   |
|--------------------------------------|---|
| Packing group                        |   |
| · ADR, IMDG, IATA                    | III   |
| Environmental hazards:               |   |
| Marine pollutant:                    | No  |
| Special precautions for user         | Warning: Flammable liquids.                       |
| Danger code (Kemler):                | 30  |
| EMS Number:                          | F-E, <u>S-E</u>                                   |
| Transport in bulk according to Annex | II of   |
| MARPOL73/78 and the IBC Code         | Not applicable.                                   |
| Transport/Additional information:    |   |
| ADR                                  |   |
| Limited quantities (LQ)              | 5L  |
| Excepted quantities (EQ)             | Code: E1  |
|                                      | Maximum net quantity per inner packaging: 30 ml   |
|                                      | Maximum net quantity per outer packaging: 1000 ml |
| Transport category                   | 3   |
| Tunnel restriction code              | D/E   |
| IMDG                                 |   |
| Limited quantities (LQ)              | 5L  |
| Excepted quantities (EQ)             | Code: E1  |
|                                      | Maximum net quantity per inner packaging: 30 ml   |
|                                      | Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation":               | UN1263, PAINT, 3, III                             |

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H226 Flammable liquid and vapour.

 $H304\ May\ be\ fatal\ if\ swallowed\ and\ enters\ airways.$ 

H336 May cause drowsiness or dizziness.

H350 May cause cancer.

- R10 Flammable.
- R45 May cause cancer.
- R46 May cause heritable genetic damage.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.
- · Department issuing MSDS: Product safety department
- · Contact: Mr. Rashad

(Contd. on page 8)

(Contd. of page 7)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.03.2015 Revision: 28.03.2015

Trade name: Kapci 602

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Carc. 1B: Carcinogenicity, Hazard Category 1B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

CD.