Printing date 12.07.2010 Revision: 12.07.2010

I Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Kapci C6510
- · Application of the substance / the preparation **
- · Manufacturer/Supplier:

Kapci Coatings

Industrial Zone El - Raswa

Port Said

EGYPT

mohamed.rashad@kapci.com

- · Further information obtainable from: Product safety department
- · Information in case of emergency: During normal opening times: +20 66 3770000

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 10 Flammable.

R 67 Vapours may cause drowsiness and dizziness.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



Warning

H226 - Flammable liquid and vapour.



Warning

H336 - May cause drowsiness or dizziness.

· Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

· Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

· Storage:

P405 Store locked up.

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- $\cdot \textit{Description:} \ \textit{Mixture of substances listed below with nonhazardous additions}.$

· Dangerous components:			
CAS: 123-86-4	n-butyl acetate	R 10-66-67	80-90%
EINECS: 204-658-1		Warning: 🚸 2.6/3; փ 3.8/3	

· Additional information: For the wording of the listed risk phrases refer to section 16.

Printing date 12.07.2010 Revision: 12.07.2010

Trade name: Kapci C6510

(Contd. of page 1)

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- $\cdot \textit{Measures for environmental protection:} \ \textit{Do not allow to enter sewers/surface or ground water.}$
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents

7 Handling and storage

- · Handling:
- · Information for safe handling: **
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the (Contd. on page 3)

Printing date 12.07.2010 Revision: 12.07.2010

Trade name: Kapci C6510

(Contd. of page 2)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· General Information		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
· Change in condition		
	Melting point/Melting range: Undetermined.	
Boiling point/Boiling range:	124°C	
· Flash point:	27°C	
· Ignition temperature:	370°C	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	1.2 Vol %	
Upper:	7.5 Vol %	
· Vapour pressure at 20°C:	10.7 hPa	
· Density:	Not determined.	
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
· Solvent content:		
Organic solvents:	85.0 %	
Solids content:	15.0 %	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Materials to be avoided:
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.

(Contd. on page 4)

Printing date 12.07.2010 Revision: 12.07.2010

Trade name: Kapci C6510

(Contd. of page 3)

· on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

12 Ecological information

- $\cdot \textit{Additional ecological information:}$
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 3 Flammable liquids.

Danger code (Kemler): 30
UN-Number: 1263
Packaging group: III
Hazard label: 3

· Description of goods: 1263 PAINT, solution

· Tunnel restriction code D/E

· Maritime transport IMDG:



· IMDG Class: 3
· UN Number: 1263
· Label 3
· Packaging group: III
· EMS Number: F-E,S-D
· Marine pollutant: No

· Proper shipping name: PAINT, solution

· Air transport ICAO-TI and IATA-DGR:



• ICAO/IATA Class: 3 • UN/ID Number: 1263

(Contd. on page 5)

Printing date 12.07.2010 Revision: 12.07.2010

Trade name: Kapci C6510

(Contd. of page 4)

· Label 3 · Packaging group: III

· Proper shipping name: PAINT, solution

· UN "Model Regulation": UN1263, PAINT, solution, 3, III

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Risk phrases:

10 Flammable.

67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- 2 Keep out of the reach of children.
- 25 Avoid contact with eyes.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

10 Flammable.

66 Repeated exposure may cause skin dryness or cracking.

67 Vapours may cause drowsiness and dizziness.

- · Department issuing MSDS: Product safety department
- · Contact: Mr. Rashad
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GB