


Page 1/8

Safety Data Sheet

according to 1907/2006/EC, Article 31



Printing date 17.09.2015

Revision: 17.09.2015

Trade name: Kapci 880

ager ning components of labelling: nts
nts
nmable liquid and vapour.
n irritation.
ious eye damage.
atements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, ip present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Dispose of contents/container in accordance with local/regional/national/international regulations.
und vPvB assessment

• *PBT:* Not applicable. • *vPvB:* Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 1330-20-7	xylene	2.5-10%
EINECS: 215-535-7	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit 2, H315	
CAS: 78-83-1	butanol	2.5-10%
EINECS: 201-148-0	� Flam. Liq. 3, H226; � Eye Dam. 1, H318; � Skin Irrit. 2, H315; STOT SE 3, H335-H336	
CAS: 67-63-0	propan-2-ol	2.5-10%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 78-93-3	butanone	<i>≤</i> 2.5%
EINECS: 201-159-0	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
· Additional informati	ion: For the wording of the listed risk phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 17.09.2015

Revision: 17.09.2015

Trade name: Kapci 880

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)

Printing date 17.09.2015

Revision: 17.09.2015

Trade name: Kapci 880

Contro	(Contd. of page
	l parameters ients with limit values that require monitoring at the workplace:
-	0-7 xylene
	Short-term value: 441 mg/m ³ , 100 ppm
	Long-term value: 220 mg/m ³ , 50 ppm
	Sk; BMGV
78-83-	1 butanol
	Short-term value: 231 mg/m ³ , 75 ppm
	Long-term value: 154 mg/m ³ , 50 ppm
	0 propan-2-ol
	Short-term value: 1250 mg/m ³ , 500 ppm
	Long-term value: 999 mg/m ³ , 400 ppm
	3 butanone
	Short-term value: 899 mg/m ³ , 300 ppm
	Long-term value: 600 mg/m ³ , 200 ppm
	Sk, BMGV
Ingrod	ients with biological limit values:
0	5
	10-7 xylene
BMGV	650 mmol/mol creatinine Medium: urine
	Sampling time: post shift
	Parameter: methyl hippuric acid
78-93-	3 butanone
	70 µmol/L
Diriov	Medium: urine
	Sampling time: post shift
	Parameter: butan-2-one
Additio	onal information: The lists valid during the making were used as basis.
Exposi	ure controls
	al protective equipment:
	al protective and hygienic measures:
	way from foodstuffs, beverages and feed.
	iately remove all soiled and contaminated clothing
	nands before breaks and at the end of work. contact with the skin.
	contact with the eyes and skin.
	atory protection:
In case	e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu
	f-contained respiratory protective device.
Protect	tion of hands:
III	
1113	Protective gloves
V	
Theal	ove material has to be impermeable and resistant to the product/ the substance/ the preparation
	ove material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparatio
	missing lesis no recommendation to the glove material can be given for the product/ the preparatio emical mixture.
	ion of the glove material on consideration of the penetration times, rates of diffusion and the
degrad	lation
Materi	al of gloves
	(Contd. on page

Printing date 17.09.2015

Revision: 17.09.2015

Trade name: Kapci 880

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
· Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C
Flash point:	13 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	390 °C
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	12.0 Vol %
• Vapour pressure at 20 •C:	43 hPa
Density:	Not determined.
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	32.5 %

GB

Printing date 17.09.2015

Revision: 17.09.2015

Trade name: Kapci 880

	(Contd. of page 5)
VOC (EC)	32.50 %
Solids content: • Other information	67.5 % No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

1330-20-7 xylene

Oral LD50 4300 mg/kg (rat)

Dermal LD50 2000 mg/kg (rabbit)

- Primary irritant effect: • Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

<u>12 Ecological information</u>

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- $\cdot \textit{Persistence and degradability} \textit{ No further relevant information available}.$
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

GB

Printing date 17.09.2015

Revision: 17.09.2015

(Contd. of page 6)

Trade name: Kapci 880

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN proper shipping name ADR 1263 PAINT RELATED MATERIAL PAINT RELATED MATERIAL IMDG, IATA PAINT RELATED MATERIAL Transport hazard class(es) ADR, IMDG, IATA Image: Class 3 Flammable liquids. Label 3 Packing group ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) IL Excepted quantities (LQ)	UN-Number	
ADR 1263 PAINT RELATED MATERIAL IMDG, IATA PAINT RELATED MATERIAL Transport hazard class(es) ADR, IMDG, IATA Image: Class 3 Flammable liquids. Label 3 Packing group 3 ADR, IMDG, IATA II Environmental hazards: Maximuze Marine pollutant: No Special precautions for user Warning: Flammable liquids. Darger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR ADR Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 2 Transport category 2 2 Transport category 2 2 Tannel restriction code D/E Maximum net quantity per inner packaging: 30 ml Maximum net quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml <	ADR, IMDG, IATA	UN1263
IMDG, IATA PAINT RELATED MATERIAL Transport hazard class(es) ADR, IMDG, IATA Image: Class in the state of the state o		
Transport hazard class(es) ADR, IMDG, IATA Image: ADR, IMDG, IATA Image: ADR, IMDG, IATA Label 3 Packing group ADR, IMDG, IATA II Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) SL Excepted quantities (EQ) SL Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (LQ) IL <td></td> <td></td>		
ADR, IMDG, IATA View Class 3 Flammable liquids. Label 3 Packing group II ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E, S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Limited quantities (LQ) SL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantities (LQ) IL Excepted quant	IMDG, IATA	PAINT RELATED MATERIAL
Class 3 Flammable liquids. Label 3 Packing group 1 ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Xot applicable. ADR Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 MADG Limited quantities (EQ) IL Excepted quantities (EQ) Code: E2 MAXimum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml	Transport hazard class(es)	
Label 3 Packing group II ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Excepted quantities (LQ) SL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	ADR, IMDG, IATA	
Label 3 Packing group II ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Excepted quantities (LQ) SL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml		
Packing group ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 500 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (LQ) IL <	Class	3 Flammable liquids.
ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Excepted quantities (LQ) Excepted quantities (EQ) SL Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (LQ) SL Excepted quantities (LQ) SL Imula restriction code D/E IMDG IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	Label	3
ADR, IMDG, IATA II Environmental hazards: No Marine pollutant: No Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Excepted quantities (LQ) Excepted quantities (EQ) SL Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (LQ) SL Excepted quantities (LQ) SL Imula restriction code D/E IMDG IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	Packing group	
Marine pollutant:NoSpecial precautions for userWarning: Flammable liquids.Danger code (Kemler):33EMS Number:F-E,S-ETransport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADRImited quantities (LQ)Excepted quantities (EQ)SL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 D/EImited quantities (LQ)IL Excepted quantities (LQ)Imited quantities (LQ)IL Maximum net quantity per inner packaging: 500 mlMDG Limited quantities (EQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml		II
Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR Excepted quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) IL Karimum net quantity per inner packaging: 30 ml	Environmental hazards:	
Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR SL Limited quantities (LQ) SL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 MAXIMUM net quantities (EQ) 30 ml	Marine pollutant:	No
Danger code (Kemler): 33 EMS Number: F-E,S-E Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR SL Limited quantities (LQ) SL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code D/E IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 MAXIMUM net quantities (EQ) 30 ml	Special precautions for user	Warning: Flammable liquids.
EMS Number:F-E,S-ETransport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR Limited quantities (LQ)5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 D/ETunnel restriction codeD/EIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	Danger code (Kemler):	· ·
and the IBC CodeNot applicable.Transport/Additional information:ADRLimited quantities (LQ)5LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeD/EIMDG1LLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	EMS Number:	<i>F-E,<u>S-E</u></i>
and the IBC CodeNot applicable.Transport/Additional information:ADRLimited quantities (LQ)5LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeD/EIMDG1LLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Transport in bulk according to Annex II	of Marpol
ADRLimited quantities (LQ)5LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeD/EIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		
Limited quantities (LQ)5LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeD/EIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Transport/Additional information:	
Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction codeIMDG Limited quantities (LQ)IL Code: E2 D/EExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml	ADR	
Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction codeIMDG Limited quantities (LQ)IL Code: E2 D/EExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml	Limited quantities (LQ)	5L
Maximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeD/EIMDG1LLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		Code: E2
Transport category2Tunnel restriction codeD/EIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		
Tunnel restriction codeD/EIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		
IMDGLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		_
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Tunnel restriction code	<i>D/E</i>
Excepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		
Maximum net quantity per inner packaging: 30 ml		
	Excepted quantities (EQ)	
		Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Printing date 17.09.2015

Revision: 17.09.2015

(Contd. of page 7)

Trade name: Kapci 880

· UN "Model Regulation":

UN 1263 PAINT RELATED MATERIAL, 3, II, (D/E)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. · Department issuing MSDS: Product safety department · Contact: Mr. Rashad · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3